


DUOX ROLL CENTER / FRONT / Anti-dive 2°




DUOX ROLL CENTER / FRONT (Ride Height: 10mm) / Anti-dive 2°

Upper Wishbone		Lower Wishbone		Roll Center Distance from Chassis / mm
A	B	C	D	
9mm	1	9mm	2	-1.76
11.5mm	1	9mm	2	0.13
14mm	1	9mm	2	1.83
9mm	1	11.5mm	2	2.34
11.5mm	1	11.5mm	2	3.91
9mm	1	9mm	1	4.82
9mm	2	9mm	2	5.03
14mm	1	11.5mm	2	5.33
9mm	1	14mm	2	6.03
11.5mm	2	9mm	2	6.52
11.5mm	1	9mm	1	6.54
11.5mm	1	14mm	2	7.34
14mm	2	9mm	2	7.87
14mm	1	9mm	1	8.09
9mm	2	11.5mm	2	8.21
14mm	1	14mm	2	8.52
9mm	1	11.5mm	1	8.56
11.5mm	2	11.5mm	2	9.46
11.5mm	1	11.5mm	1	10
14mm	2	11.5mm	2	10.59
9mm	2	14mm	2	11.1
14mm	1	11.5mm	1	11.29
9mm	2	9mm	1	11.44
9mm	1	14mm	1	11.95
11.5mm	2	14mm	2	12.13
11.5mm	2	9mm	1	12.78
14mm	2	14mm	2	13.08
11.5mm	1	14mm	1	13.14
14mm	2	9mm	1	13.99
14mm	1	14mm	1	14.21
9mm	2	11.5mm	1	14.3
11.5mm	2	11.5mm	1	15.42
14mm	2	11.5mm	1	16.43
9mm	2	14mm	1	16.88
11.5mm	2	14mm	1	17.81
14mm	2	14mm	1	18.66

Default Set-up

DUOX ROLL CENTER / REAR / Squat 2°




DUOX ROLL CENTER / REAR (Ride Height: 10mm) / Squat 2°

Upper Wishbone		Lower Wishbone		Roll Center Distance from Chassis / mm
A	B	C	D	
0mm	1	1	2	-25.14
5mm	1	1	2	-18.24
0mm	2	1	2	-15.35
0mm	1	1	1	-10.38
5mm	2	1	2	-9.77
0mm	3	1	2	-6.25
0mm	1	2	2	-4.86
5mm	1	1	1	-4.47
5mm	3	1	2	-1.8
5mm	1	2	2	-1.32
0mm	2	1	1	-1.2
0mm	2	2	2	0.79
5mm	2	1	1	3.5
5mm	2	2	2	3.72
0mm	3	2	2	6.14
0mm	1	2	1	7.1
0mm	3	1	1	7.34
5mm	3	2	2	8.54
5mm	1	2	1	10.15
5mm	3	1	1	11.03
0mm	2	2	1	12.43
5mm	2	2	1	14.92
0mm	3	2	1	17.49
5mm	3	2	1	19.49

Default Set-up


DUOX ROLL CENTER / FRONT / Anti-dive 0°



DUOX ROLL CENTER / FRONT (Ride Height: 10mm) / Anti-dive 0°

Upper Wishbone		Lower Wishbone		Roll Center Distance from Chassis / mm
A	B	C	D	
9mm	1	9mm	2	-13.15
11.5mm	1	9mm	2	-10.94
14mm	1	9mm	2	-8.95
9mm	1	11.5mm	2	-8.4
11.5mm	1	11.5mm	2	-6.56
9mm	2	9mm	2	-6.05
14mm	1	11.5mm	2	-4.91
11.5mm	2	9mm	2	-4.26
9mm	1	14mm	2	-4.13
14mm	2	9mm	2	-2.66
11.5mm	1	14mm	2	-2.61
9mm	2	11.5mm	2	-2.25
14mm	1	14mm	2	-1.23
11.5mm	2	11.5mm	2	-0.77
9mm	1	9mm	1	0.26
14mm	2	11.5mm	2	0.58
9mm	2	14mm	2	1.17
11.5mm	1	9mm	1	2.11
11.5mm	2	14mm	2	2.41
14mm	2	14mm	2	3.53
14mm	1	9mm	1	3.77
9mm	1	11.5mm	1	4.25
11.5mm	1	11.5mm	1	5.79
9mm	2	9mm	1	7.01
14mm	1	11.5mm	1	7.18
9mm	1	14mm	1	7.86
11.5mm	2	9mm	1	8.46
11.5mm	1	14mm	1	9.13
14mm	2	9mm	1	9.77
9mm	2	11.5mm	1	10.1
14mm	1	14mm	1	10.29
11.5mm	2	11.5mm	1	11.31
14mm	2	11.5mm	1	12.41
9mm	2	14mm	1	12.89
11.5mm	2	14mm	1	13.9
14mm	2	14mm	1	14.82

DUOX ROLL CENTER / REAR / Squat 0°



DUOX ROLL CENTER / REAR (Ride Height: 10mm) / Squat 0°

Upper Wishbone		Lower Wishbone		Roll Center Distance from Chassis / mm
A	B	C	D	
0mm	1	1	2	-28.56
5mm	1	1	2	-21.42
0mm	2	1	2	-18.61
0mm	1	1	1	-13.69
5mm	2	1	2	-12.83
0mm	3	1	2	-9.38
0mm	1	2	2	-7.6
5mm	1	1	1	-7.57
5mm	3	1	2	-4.75
0mm	2	1	1	-4.38
5mm	1	2	2	-3.94
0mm	2	2	2	-1.88
5mm	2	1	1	0.51
5mm	2	2	2	1.15
0mm	3	2	2	3.54
0mm	3	1	1	4.28
0mm	1	2	1	4.4
5mm	3	2	2	6.03
5mm	1	2	1	7.57
5mm	3	1	1	8.14
0mm	2	2	1	9.8
5mm	2	2	1	12.39
0mm	3	2	1	14.92
5mm	3	2	1	17.01